

TECHNICAL DATA SHEET



SFF PROBIOTICS

EQ PLUS®

!MORE PROTECTION AND BETTER PERFORMANCE!

Product Information

SFF QA 01 version 18 02 2023

Sanitary Registration Ecuador: SCI-R004700

Warehouse Registration: BIA-8077

DESCRIPTION

SFF Probiotics EQ Plus® is a balanced blend of beneficial microorganisms, prebiotics and enzymes.

Pharmaceutical Form: Brown powder.

Solubility: Soluble in water

Size: 20 kg (44 pounds)

Material: Kraft paper cladding bag.

Storage temperature: 2-25°C / 36-77°F

Conditions: Cool, dry and rodent-free. Do not stow more than 5 stacked units.

Expiration: 12 months from the date of preparation

GUARANTEED ANALYSIS

EFFECT	CONCENTRATION (UFC/g) %
Bacillus subtilis 10 ¹¹ CFU/g	45 %
Bacillus licheniformis 10 ¹¹ CFU/g	45 %
Diatomaceous earth	10 %

*Both species of Bacillus are considered suitable for use in animals on the AAFCO list (American Official Food Control Association).

The addition of 1 Kg of SFF Probiotics EQ Plus® per Ton of balancing guarantees: 4×10⁹ CFU/g of Bacillus spp; 1×10⁶ CFU/g of Yeasts; 1,000 IU/Kg of Glucose Oxidase; 2,000 IU/Kg of Cellulase; 2,500 IU/Kg both B-Manasa and Glucanase; 3,000 IU/Kg Pectinase; and 15,000 IU/Kg of both Phytase and Xylanase.

APPLICATION

Balanced additive of probiotics, prebiotics and enzymes for feed with natural growth promoting and antimicrobial properties.

RECOMMENDED USE

Dosage for aquaculture:

Larviculture 10 ppm every day from planting rise to 20 ppm critical days.

Maturation 5-10 ppm

Dispatch water 10 ppm.

Balanced feed (use only together with oil bath) 100-500 g per MT.

Poultry and Pigs

Balanced Feed

If there is no heat exposure (pelletizing) place 100-250 grams per MT of feed.

If there is pelletizing (use only next to oil bath) 100-250 g per MT.

In water drinkers 1-10 grams per 1000 liters of water.

INSTRUCTIONS FOR USE

To be managed throughout the production cycle.

HANDLING

For its optimal effect store in cool, dry and rodent-free environment. Avoid leaving the sac open for long periods of time. Avoid inhalation. In case of inhalation, contact with skin or eye, rinse with water. A face mask should be worn if dust formation occurs. Non-flammable. Not classified as chemical waste.

LEGISLATION

This product complies with national legislation.

BRANDS

Product names, concept names, logos, trademarks and other trademarks referenced herein, whether or not they appear in capital letters, bold or with the symbol ® are the property of South Florida Farming Corporation or used under license. Trademarks appearing in this document may not be registered in your country, even if they are marked with a ® .

ADDITIONAL INFORMATION

This product is listed on the OMRI (Organic Materials Review Institute), and can be used in certified organic production or food processing and handling according to the USDA (United States Department of Agriculture) national organic program rule.

The buyer assumes full responsibility for the use, storage and handling of this product. South Florida Farming Corporation makes no other claims or warranties, expressed or implied, and shall not be liable for consequential or incidental damages.

TECHNICAL SUPPORT

South Florida Farming Corporation's Product Development and Application Laboratories and staff are available if you need any additional information.

IMPORTED AND MARKETED

By South Florida Farming – FloridaFram S.A.
RUC: 0992968737001
Av. Miguel Yunez, Km 14.5 vía a Samborondón.
Almax 3 Etapa1 – Lote 3 Bodega 18-19.
Guayas – Ecuador



Made in the United States with SFSF Certified System
(Safe Feed Safe Food)

